

7月23日 (木)

第1日目

Poster Session Area | 国立京都国際会館 1F イベントホール

Poster Session

合併症、デバイス

10:10-10:40

- P1 Severe Inferior Displacement of an ICD in a Young Patient: Surgical Findings and Repair 23
Speaker : Ryosuke Takahashi (Division of Cardiovascular Medicine, Department of Internal Medicine, Kobe University Graduate School of Medicine, Kobe, Japan)
- P2 Severe Pulmonary Vein Stenosis Without Respiratory Symptoms After Atrial Fibrillation Ablation 24
Speaker : Yusuke Murayama (Yamato Municipal Hospital, Japan)
- P3 Delayed Thoracoacromial Artery Injury Following Venous Access: The Vital Role of Ultrasound Evaluation 24
Speaker : Shunji Murase (Nagoya City University East Medical Center, Japan)
- P4 A Case of Right-Sided Heart Failure Due to Femoral Arteriovenous Fistula After AVEIR DR Implantation Successfully Treated With Surgical Closure 25
Speaker : Yu Amano (Tenri Hospital, Japan)
- P5 A Case of Leadless VDD PM Implantation in a Super-Aged Patient with Recurrent Syncope Episodes Due to Tdp from Advanced AV Block 25
Speaker : Kenji Enta (Hokuto Hospital, Japan)
- P6 Physiologically Targeted Pocket Compression: Performance Validation of a Novel Leaf-Spring Device for Stable and Safe Post-Pacemaker Hematoma Prevention 26
Speaker : Akinori Sairaku (National Hospital Organization Higashihiroshima Medical Center, Japan/Hiroshima University)
- P7 A Case of Refractory Post-Cardiac Injury Syndrome Following Pacemaker Implantation Treated with a Pericardial Window Procedure 26
Speaker : Kazuki Tanakaya (National Hospital Organization Iwakuni Clinical Center, Japan)

Poster Session

合併症 AF

10:10-10:40

- P8 A case of Takotsubo syndrome after Pulsed field ablation. 27
Speaker : Kumi Uchimura (Tenyokai Central Hospital, Japan)
- P9 Association between Renal Tubular Dysfunction and Hemolysis after Pulse Field Ablation 28
Speaker : Mashu Toyoshima (Yamagata University Hospital, Japan)
- P10 Pulsed Field Ablation for Persistent Atrial Fibrillation in Cardiogenic Shock Requiring Impella Support: Two Case Reports 28
Speaker : Shuhei Okajima (Nippon Medical School Hospital, Japan)
- P11 Prospective Evaluation of Pulmonary Vein Diameter Changes Following Pulsed Field Ablation Using the PulseSelect System in the Japanese Patients with Atrial Fibrillation 29
Speaker : Hiromi Yoshimura (Saiseikai Kumamoto Hospital, Japan)
- P12 Delayed Ventricular Fibrillation Arrest Following Pulsed Field Ablation: Lessons from the PFA Era 29
Speaker : Junji Maeda (Hiroshima University, Japan)
- P13 Transient Electrical Stunning of the Superior Vena Cava Following Pulsed-Field Ablation to the Right Superior Pulmonary Vein 30
Speaker : Mami Narita (Mito Saiseikai General Hospital, Japan)
- P14 Impact of Direct Pulmonary Vein Sleeve Ablation with Pulsed Field Energy on Pulmonary Vein Stenosis Assessed by Computed Tomography 30
Speaker : Takehito Sasaki (Gunma Prefectural Cardiovascular Center, Japan)
- P15 The presentation has been withdrawn. 31

P16	Hemolysis-Related Acute Kidney Injury Characterized by Oliguria without Severe Serum Creatinine Elevation after Pulsed-Field Ablation for Atrial Fibrillation.	31
	Speaker : Hideharu Okamatsu (Saiseikai Kumamoto Hospital, Japan)	
P17	A Rare Case of Coronary Artery Bypass Graft Spasm following Ablation for Atrial Fibrillation.	32
	Speaker : Akihiko Ueno (IMS Katsushika Heart Center, Japan)	
P18	The Spiked Helmet Sign Associated with Takotsubo Cardiomyopathy and Left Hemothorax After Pulmonary Vein Isolation	32
	Speaker : Yuki Inada (Hakujyujii Hospital, Japan)	
P19	A case of exfoliative esophagitis and a bleeding complication following perioperative anticoagulant therapy after catheter ablation	33
	Speaker : Atsushi Suzuki (Biwako Ohashi Hospital, Japan)	
P20	Reversible Effusive-Constrictive Pericarditis Developing in the Late Phase After Catheter Ablation for Atrial Fibrillation	33
	Speaker : Makito Kanehiro (Nagoya Tokushukai General Hospital, Japan)	

Poster Session

Non PFA

10:10-10:40

P21	Optimal Balloon Depth for Balancing Efficacy and Safety in Hot Balloon Ablation	34
	Speaker : Noriyuki Koba (Kawaguchi Cardiovascular and Respiratory Hospital, Japan)	
P22	Predictors of Persistent Iatrogenic Atrial Septal Defect After Catheter Ablation for Atrial Fibrillation	35
	Speaker : Yutaka Take (The Sakakibara Heart Institute of Okayama, Japan)	
P23	Evaluation of pre-procedural echocardiographic predictors of left atrial functional improvement after ablation in patients with persistent atrial fibrillation	35
	Speaker : Yasukazu Takazawa (Division of Cardiology, Internal Medicine III, Hamamatsu University School of Medicine, Japan)	
P24	Reconsideration of the Blanking Period After Atrial Fibrillation Ablation	36
	Speaker : Daiki Yokoyama (NHO Sendai Medical Center)	
P25	Comparison of Treatment Outcomes for Atrial Fibrillation Ablation Performed at Our Institution, Including Patients Aged 90 Years and Older	36
	Speaker : Chisato Kochi (Matsue General Hospital, Japan)	
P26	Association between Low-Voltage Areas in the Atria and Clinical Frailty Scale in Patients with Atrial Fibrillation	37
	Speaker : Takayuki Sumiyoshi (Juntendo University Hospital, Japan)	
P27	Impact of permanent pacemaker implantation in addition to catheter ablation for atrial fibrillation with sick sinus syndrome	37
	Speaker : Shunsuke Kawai (Japanese Red Cross Fukuoka Hospital, Japan)	
P28	Management of Atrial Fibrillation in Patients Weighing more than 100 kg at Our Institution	38
	Speaker : Yuka Sumiyama (Division of Cardiovascular and Renal Medicine, Japan)	
P29	Clinical Characteristics and Risk Factors of Cardiac Tamponade in Atrial Fibrillation Ablation: A Retrospective Study	38
	Speaker : Kimikazu Banba (The Sakakibara Heart Institute of Okayama, Japan)	
P30	Distribution of Recurrent Conduction in Patients with Prior Left Atrial Posterior Wall Isolation	39
	Speaker : Naohiko Kawaguchi (Yokosuka Kyosai Hospital, Japan)	
P31	Changes in Myocardial Oxygen Extraction During Catheter Ablation for Atrial Fibrillation and the Impact of Posterior Wall Isolation	39
	Speaker : Shogo Miyamoto (Hiroshima University Hospital, Japan)	
P32	Evaluation of Unintended Contact Force Elevation During Radiofrequency Ablation with the QDOT MICRO	40
	Speaker : Toshio Makita (Tokyo Heart Rhythm Clinic, Japan)	
P33	Identification of bilateral atrial arrhythmic substrates in persistent atrial fibrillation using CARTOFINDER CL Map	40
	Speaker : Hiroyuki Natsui (Otaru Kyokai Hospital, Japan)	

P34	Substantial Radiation Reduction Without Compromising Clinical Outcomes: Catheter Dragging Versus Point-by-Point Ablation in Contemporary Pulmonary Vein Isolation	41
	Speaker : Nobuhiro Honda (General Hospital Hamanomachi, Japan/Aso Iizuka Hospital)	
P35	Fractionated Atrial Potentials (FrAP) Guided Ablation on Suppression of Non-paroxysmal Atrial Fibrillation. Comparison Study to Focal and Rotor Ablation by Carto-Finder	41
	Speaker : Norishige Morita (Division of Cardiology, Department of Medicine, Tokai University Hachioji Hospital, Japan)	
P36	Effects of Interlesion Distance on Acute and Long-Term Outcomes After Pulmonary Vein Isolation Using 90 W for 4 s	42
	Speaker : Tetsuro Takase (Ichinomiya Nishi Hospital, Japan)	
P37	Utility and limitations of intracardiac echocardiography-based Fast Anatomical Mapping using the CARTOSOUND FAM module during atrial fibrillation ablation	42
	Speaker : Tadashi Hoshiyama (Kumamoto University Hospital, Japan)	

Poster Session

RF vs PFA

10:10-10:40

P38	Six-Month Outcomes of Pulsed Field Ablation Versus Radiofrequency Energy for Pulmonary Vein Isolation Plus Posterior Wall Isolation	43
	Speaker : Kousei Matsuda (Tohoku Medical and Pharmaceutical University, Japan)	
P39	Radiofrequency touch-up for residual posterior wall conduction following pulsed-field ablation in a patient with persistent atrial fibrillation	44
	Speaker : Kazuki Tezuka (Tokushima University Hospital, Japan)	
P40	Linear lesion creation using radiofrequency followed by pulsed field ablation for refractory left atrial macro-reentrant atrial tachycardias	44
	Speaker : Masahiro Mizobuchi (Cardiovascular Center, Kyoto-Katsura Hospital, Japan)	

Poster Session

PFA Outcome

10:10-10:40

P41	Cardiomyopathy negatively affects left ventricular ejection fraction improvement after catheter ablation for patient with atrial fibrillation and reduced cardiac function.	45
	Speaker : Yuichiro Tsuruta (Kumamoto University Hospital, Japan)	
P42	Incremental Value of Right Atrial Reservoir Strain for Predicting Atrial Tachyarrhythmia Recurrence after Catheter Ablation for Atrial Fibrillation	46
	Speaker : Shinichi Tachibana (Japanese Red Cross Saitama Hospital, Japan)	
P43	Predictors of Persistent Left Ventricular Dysfunction After Successful Atrial Fibrillation Ablation	46
	Speaker : Terumasa Koyama (Kawasaki Medical School, JAPAN)	
P44	Procedural Efficiency and Mid-Term Recurrence After Pulmonary Vein Isolation in Atrial Fibrillation With Enlarged Left Atrium: Radiofrequency vs Pulsed-Field Ablation	47
	Speaker : Noriyuki Kobayashi (Osaka Rosai Hospital, Japan)	
P45	Renal Function Improvement After Atrial Fibrillation Ablation: Differential and Additive Effects of Mineralocorticoid Receptor Antagonists and SGLT2 Inhibitors	47
	Speaker : Takayuki Shimizu (Division of Cardiovascular Medicine, Toho University, Ohashi Medical Center, Japan)	
P46	Favorable Short-Term Rhythm Outcomes of Pulsed Field Ablation in Repeat Atrial Fibrillation Procedures	48
	Speaker : Arihide Okahara (Fukuoka Red Cross Hospital, Japan)	
P47	New Method of Roof Line Ablation Using a Circular Multielectrode Array Catheter	48
	Speaker : Naoto Otsuka (Nihon University Hospital, Japan)	
P48	Impact of peak frequency mapping on pulsed field ablation for paroxysmal or persistent atrial fibrillation	49
	Speaker : Naoki Aizawa (Showa Medical University Koto-Toyosu Hospital, Japan)	

P49	Evaluation of the Efficiency and Safety of Performing Pulsed Field Ablation Under General Anesthesia	49
	Speaker : Kotaro Mori (Iwate Medical University, Japan)	
P50	Quantitative Assessment of Operator Experience in Atrial Fibrillation Ablation: The Role of Interlesion Time	50
	Speaker : Kei Matsumoto (Saitama Medical University International Medical Center)	
P51	Time Course of Myocardial and Inflammatory Biomarkers After Pulsed-Field Ablation	50
	Speaker : Ryutaro Sakurai (The Jikei University Katsushika Medical Center, Japan)	
P52	Significance of Local Impedance During Pulsed-Field and Radiofrequency Ablation	51
	Speaker : Kohei Sasaima (Keio University Hospital, Japan)	
P53	Shift in Ablation Strategy Following Introduction of Pulsed Field Ablation in Atrial Fibrillation with Reduced Left Ventricular Ejection Fraction	51
	Speaker : Yuhi Hasebe (Tohoku Medical and Pharmaceutical University, First Division of Internal Medicine (Cardiovascular Medicine), Japan)	
P54	Recurrence Patterns and Redo Ablation Findings After Pulsed Field Ablation for Atrial Fibrillation: A Single-Center Preliminary Study.	52
	Speaker : Ayaka Yoshihara (Amagasaki General Medical Center, Japan)	
P55	Evaluation of Electrical Impact on the Superior Vena Cava and Its Predictive Factors During Pulsed-Field Ablation for Pulmonary Vein Isolation	52
	Speaker : Masayuki Sakai (Ogikubo Hospital, Japan)	
P56	Comparison of Three Pulsed Field Ablation Systems: Impact on Patient-Reported Quality of Life in Atrial Fibrillation	53
	Speaker : Shuhei Yamashita (Keio University School of Medicine, Japan)	
P57	Short-Term Outcomes of Tissue Proximity-Guided Pulsed Field Ablation Aimed at Wide Antral Circumferential Pulmonary Vein Isolation	53
	Speaker : Kosuke Fujibayashi (Kanazawa Medical University, Japan)	
P58	Has the Clinical Burden of Early Recurrence Decreased in the Era of Pulse Field Ablation? : A Single-Center Initial Experience	54
	Speaker : Asami Kashiwa (Niigata City General Hospital, Japan)	

Poster Session

Others

15:10-15:40

P59	Prognostic Significance of the Number of Leads with Fragmented QRS for Ventricular Fibrillation in Brugada Syndrome	55
	Speaker : Tetsuji Shinohara (Department of Cardiology and Clinical Examination, Faculty of Medicine, Oita University, Japan)	
P60	Clinical outcomes wearable cardioverter defibrillator use in patients with ischemic cardiomyopathy (ICM) and non-ischemic cardiomyopathy (NICM)	56
	Speaker : Mika Tashiro (Kyorin University Hospital, Japan)	
P61	Initial Ventricular Arrhythmic Events Occurring Late in Elderly Patients With Brugada Syndrome	56
	Speaker : Saori Asada (Okayama University, Japan)	
P62	Threshold-Optimized Thallium-201 Myocardial Scintigraphy for Noninvasive Visualization of Ventricular Tachycardia Isthmuses	57
	Speaker : Hosei Kikushima (Department of Cardiovascular Medicine, Toho University Faculty of Medicine, Japan)	
P63	Distinct Clinical Correlates of Pre-ablation Aldosterone and Renin in Atrial Fibrillation Undergoing Pulmonary Vein Isolation	57
	Speaker : Masako Asami (Toho University Ohashi Hospital, Japan)	
P64	Sex Differences in the Predictive Value of the Urinary Sodium-to-Potassium Ratio for Recurrence After Atrial Fibrillation Ablation	58
	Speaker : Kyoko Koyama (Yamagata University Faculty of Medicine, Japan)	
P65	Beyond Thrombus Assessment: Clinical Impact of Extended-Field Preprocedural Contrast-Enhanced CT in Atrial Fibrillation Ablation	58
	Speaker : Aika Iijima (Tokai University School of Medicine, Japan)	

P66	The assessment of myocardial tissue by late gadolinium enhancement after cryoballoon ablation of left atrial roof line and radiofrequency ablation of left atrial floor line.	59
	Speaker : Takatoshi Shigeta (AOI International Hospital, Japan/Japan Red Cross Yokohama City Bay Hospital, Japan)	
P67	Impact of Prior AF Ablation on CTA-Based WATCHMAN Sizing	59
	Speaker : Wataru Sasaki (Saitama Medical University, International Medical Center, Japan)	
P68	Association Between Right Bundle Branch Block and Mortality in the General Population: A Meta-analysis	60
	Speaker : Hiroshi Kawakami (Ehime University Graduate School of Medicine, Japan)	
P69	Case Series of Exercise-Associated Focal Ventricular Arrhythmias Mapped and Ablated Under Bicycle Ergometer Stress in the Electrophysiology Laboratory	60
	Speaker : Takuya Onozato (Juntendo University Hospital, Japan)	
P70	Clinical Impact of Computed Tomography Angiography-Derived Left Atrial Volume for Low Voltage Zone Burden in Atrial Fibrillation	61
	Speaker : Takuto Suzuki (Department of Cardiovascular Medicine, Toho University Faculty of Medicine)	
P71	Utility and Limitations of Three R-R Interval-Based Approaches for Screening Atrial Tachycardia/Atrial Flutter on Wearable Holter ECG	61
	Speaker : Tomoaki Nakano (The University of Osaka Graduate School of Medicine, Japan)	
P72	Clinical utility of long-term continuous monitoring for management of atrial fibrillation.	62
	Speaker : Naoko Yokota (Takatsuki General Hospital, Japan)	
P73	Low R-wave Amplitude and High P/R Ratio on Pre-Implant ECG Predict False-Positive Detections in a Novel Insertable Cardiac Monitor	62
	Speaker : Matsumura Mikiko (Osaka International Medical & Science Center, Japan)	
P74	Prognostic Stratification Using ABI and CAVI in Patients With Atrial Fibrillation	63
	Speaker : Toshiya Kakurai (Jichi Medical University Hospital, Japan)	
P75	Post-Map Roof Low-Voltage Zone Is Associated With Incomplete First-Pass Posterior Wall Isolation Using Pulsed Field Ablation	63
	Speaker : Hitomi Yuzawa (Mitsui Memorial Hospital, Japan)	
P76	The Effect of Pulse Field Ablation on Heart Rate and Atrioventricular Conduction	64
	Speaker : Ryoga Hanamura (Ise Red Cross Hospital, Japan)	
P77	Changes in Left Atrial Appendage and Pulmonary Ridge Anatomy After Thermal vs Pulsed Field Ablation: Implications for LAAO Device Sizing	64
	Speaker : Ayaka Keshi (Nara Medical University, Japan)	
P78	Pacing-induced repolarization alternans detected within the arrhythmogenic pulmonary vein in a patient with paroxysmal atrial fibrillation	65
	Speaker : Takeshi Ishihara (Gifu University Hospital, Japan)	
P79	Utility of Impedance Mapping to Delineate Atrial Septal Occluders During Catheter Ablation	66
	Speaker : Keita Yoshiyama (Sendai Kosei Hospital, Japan)	

Poster Session

AI	15:10-15:40
----	-------------

P80	Exploring strategies for atrial fibrillation screening using an artificial intelligence-enhanced electrocardiogram in patients with ischemic heart disease in a cardiovascular-specialized hospital	67
	Speaker : Naomi Hirota (The Cardiovascular Institute, Japan)	
P81	Development of a Machine Learning-Based Algorithm for Atrial Fibrillation Screening Using Health Checkup Data	68
	Speaker : Masahiko Goya (IUHW Mita Hospital, Japan)	
P82	Apple Watch-Derived Estimated VO ₂ for Assessing Changes in Exercise Capacity After Catheter Ablation in Atrial Fibrillation with Heart Failure	68
	Speaker : Takato Mohri (Kyorin University Hospital, Japan)	

Poster Session
VT

15:10-15:40

P83	Long-Term Outcomes After Ventricular Tachycardia Ablation: A Single-Center Experience	69
	Speaker : Maiko Kuroda (Kokura Memorial Hospital, Japan)	
P84	Converging Spatial Voltage Gradients and Wavefront Discontinuity Identify the Critical Isthmus in Scar-Related Ventricular Tachycardia	70
	Speaker : Yuki Matsuoka (Graduate School of Human Sciences, University of Tsukuba, JAPAN/Tsukuba University Hospital, JAPAN)	
P85	Triphenyl Tetrazolium Chloride (TTC) Staining Overestimates the Depth of Durable Unexcitable Myocardial Lesions After Radiofrequency (RF) Ablation	70
	Speaker : Osamu Saitoh (Niigata University, Japan)	
P86	Successful Catheter Ablation at Sites with Inferior Electrophysiological Parameters in Idiopathic Ventricular Outflow Tract Arrhythmias	71
	Speaker : Yoshihiro Yamashina (Sendai City Hospital, JAPAN)	
P87	Utility of DEEP Mapping of Purkinje-Like Potentials for Substrate Evaluation in Polymorphic Ventricular tachycardia	71
	Speaker : Toshikazu Kono (Kameda Medical Center, Japan)	
P88	Functional Substrate Mapping to Guide Catheter Ablation of Unmappable Scar-Related Ventricular Tachycardia	72
	Speaker : Yasuaki Tsumagari (Miyazaki Medical Association Hospital, Japan)	
P89	Predictors of Procedural Cancellation in Patients Scheduled for Premature Ventricular Contraction Ablation	72
	Speaker : Satoru Nishio (Kyorin University, Japan)	
P90	Successful ablation of electrolyte-dependent ventricular arrhythmia in Brugada syndrome	73
	Speaker : Miyabi Ishikawa (Nagoya Tokusyukai General Hospital, Japan)	
P91	Functional Substrate Mapping to Unmask a Depth-Boundary U-Shaped Line of Block and Guide Targeted Isthmus Ablation in Haemodynamically Intolerant Scar Ventricular Tachycardia	73
	Speaker : Akenarong Pipatputthapong (Naresuan University Hospital, Phitsanulok, Thailand)	
P92	Acute ventricular fibrillation storm following acute myocardial infarction successfully treated with emergent catheter ablation and simultaneous atrial leadless pacemaker implantation	74
	Speaker : Daiki Kumazawa (Sendai Kousei Hospital, Japan)	
P93	Precision Under Pressure: TTE-Guided Ablation of LCC-RCC Commissural PVCs	74
	Speaker : Akenarong Pipatputthapong (Naresuan University Hospital, Phitsanulok, Thailand)	
P94	Functional Substrate Mapping Unmasks a Concealed U-Shaped Line-of-Block and Enables Targeted Dechanneling Ablation in Ischaemic Scar VT	75
	Speaker : Akenarong Pipatputthapong (Naresuan University Hospital, Phitsanulok, Thailand)	
P95	An Idiopathic Left Ventricular Tachycardia Presenting With Cardiac Memory-Like T-Wave Changes Captured by Cardiac MRI	75
	Speaker : Hikaru Shimosato (Tsuchiura Kyodo General Hospital, Japan)	
P96	Transient left anterior fascicular block suppressing post-infarction VT: evidence of interfascicular reentry	76
	Speaker : Ryosuke Kato (Akita University, Japan)	

7月24日 (金)

第2日目

Poster Session Area | 国立京都国際会館 1F イベントホール

Poster Session

CRT/ICD

10:10-10:40

P97	Bifascicular pacing for ventricular resynchronization in a complex case after prosthetic aortic valve replacement	77
	Speaker : Do Danh Vo (Cho Ray Hospital, Viet Nam)	
P98	Incremental Value of 3D Speckle-Tracking Activation Imaging for Acute Optimization and Mid-Term Assessment of LOT-CRT	78
	Speaker : Yukimi Uotani (Hiroshima City North Medical Center Asa Citizens Hospital, Japan)	
P99	Successful Defibrillation Achieved by Switching from Fixed-Tilt to Tuned-Duration Waveform	78
	Speaker : Hiroshi Oe (Hiroshima University Graduate School of Biomedical and Health Sciences, Japan)	
P100	Three-Dimensional Cardiac Computed Tomography-Guided Cardiac Resynchronization Therapy in Dextrocardia	79
	Speaker : Daiki Yamashita (Mie University Hospital, Japan/Nabari City Hospital)	
P101	Utility of 0.018-Inch Guidewire for Overcoming Complex Coronary Sinus Anatomy During Left Ventricular Lead Delivery in Cardiac Resynchronization Therapy	79
	Speaker : Kunihiko Shimizu (Shonan Kamakura General Hospital, Japan)	

Poster Session

PFA 比較

10:10-10:40

P102	Safety of a Circular Array Pulsed-Field Ablation Catheter in Patients with Dialysis	80
	Speaker : Yuri Oryoji (Shonan Kamakura General Hospital, Japan)	
P103	Comparison of Left Atrial Procedural Efficiency Between Two Pulsed Field Ablation Systems	81
	Speaker : Tatsuya Ota (IMS Fujimi General Hospital, Japan)	
P104	Comparison of Three Pulsed Field Ablation Systems in Patients For Paroxysmal Atrial Fibrillation	81
	Speaker : Ai Hosokawa (Department of Cardiology, Japanese Red Cross Saitama Hospital, Japan/Saitama City Hospital)	
P105	Lesion Assessment after Pulsed Field Ablation; Comparative Study of Three Modalities Using Late Gadolinium Enhancement on Magnetic Resonance Imaging	82
	Speaker : Jun Kurose (Hyogo Prefectural Harima-Himeji General Medical Center, Japan)	
P106	Device-Specific Dose-Response Relationship Between Pulsed Field Ablation Application Count and Renal Function Decline	82
	Speaker : Kousei Matsuda (Tohoku Medical and Pharmaceutical University, Japan)	
P107	Procedural Efficiency and Early Recurrence Across Three Pulsed Field Ablation Platforms: A Retrospective Single-Center Study	83
	Speaker : Ko Abe (St. Mary's Hospital, Japan)	
P108	Impact of 3D Mapping Guidance on First-Pass Pulmonary Vein Isolation in Pulsed-Field Ablation With FARAPULSE	83
	Speaker : Takeru Ikenaga (Saiseikai Fukuoka General Hospital, Japan)	
P109	Optimizing Pulmonary Vein Isolation with VARIPULSE: A Grid Overlap Indication-Guided Approach	84
	Speaker : Kimikazu Banba (The Sakakibara Heart Institute of Okayama, Japan)	
P110	An Exploratory Comparison of Voltage Gradients Across Ablation Lines Between Affera and CARTO Mapping Systems	84
	Speaker : Shota Kato (Kansai Rosai Hospital, Cardiovascular Center, Japan)	

P111	High-Density Local Impedance Analysis During Pulsed-Field Ablation Using the PulseSelect System and EnSite X: Initial Experience of 1,632 Points Analysis	85
	Speaker : Mei Hiayama (Hirosaki University, Japan)	
P112	Wide-antral Circumferential Pulmonary Vein Isolation with CARTO-Guided Virtual Line and FARAPULSE	85
	Speaker : Kohei Suzuki (Teikyo University Hospital, Japan)	
P113	A Comparative Analysis of Long-Term Outcomes Between PulseSelect and FARAWAVE Pulsed Field Ablation Systems for Non-Valvular Atrial Fibrillation	86
	Speaker : Gen Fujiwara (Yokkaichi Municipal Hospital, Japan)	
P114	Varipulse-Based Pulsed Field Ablation Using a Steerable Sheath-Guided Antrum Isolation: Impact on Procedural Efficiency and Fluoroscopy Reduction	86
	Speaker : Yuhi Fujimoto (Nippon Medical School, Japan)	
P115	Initial results of pulmonary vein and left atrial posterior wall isolation using FARAVIEW at our hospital	87
	Speaker : Tomotsugu Izuchi (Tosei General Hospital, Japan)	
P116	Acute Changes in Left Atrial Strain After Pulsed Field Ablation: Comparison Between Variable-loop Circular Catheter and Pentaspline Catheter.	87
	Speaker : Akinori Matsushima (Nihon University Itabashi Hospital, School of Medicine, Japan)	
P117	Device Size Matters: Procedural Characteristics, Lesion Geometry, and Early Outcome With 35mm vs 31mm Pentaspline Pulsed Field Ablation for Pulmonary Vein Isolation	88
	Speaker : Yoshihide Tanabe (University of Tsukuba, Japan)	
P118	Pulmonary Vein Isolation Rate by Pulsed Field Ablation at the Left Atrial Antrum Using a Circular Multielectrode Array Catheter	88
	Speaker : Miho Sugitani (Hyogo Medical University, Japan)	
P119	Procedural Efficiency and Lesion Coverage of Two Pulsed Field Ablation Systems for Posterior Wall Isolation in Non-Paroxysmal AF	89
	Speaker : Yumi Yasui (Yokohama City Minato Red Cross Hospital, Japan)	
P120	Impedance Decrease Following Pulsed Field Ablation Using the VARIPULSE System	89
	Speaker : Akiko Kodama (Gunma Prefectural Cardiovascular Center, Japan)	

Poster Session

PSVT

10:10-10:40

P121	Fraction Mapping Added to Peak Frequency Analysis Facilitates Precise Accessory Pathway Localization: Two Cases	90
	Speaker : Morio Ono (Kikuna Memorial Hospital, Japan)	
P122	Successful Radiofrequency Ablation of Right Inferior Accessory Pathway via Right Internal Jugular Vein: An Approach to Improve Efficacy and Safety	91
	Speaker : Hana Khairunnisa (Department of Cardiology and Vascular Medicine, Universitas Diponegoro, Indonesia)	
P123	Orthodromic Atrioventricular Reentrant Tachycardia Due to an Intermittent Right Anteroseptal Accessory Pathway: Successful Unmasking by Adenosine Triphosphate	91
	Speaker : Kento Erata (Sapporo Medical University School of Medicine)	
P124	A case of wide QRS tachycardia with positive precordial concordance due to latent WPW syndrome	92
	Speaker : Yoshihiro Sato (Kyushu University Hospital, Japan)	
P125	Paradoxical Responses in a Left Posterolateral Atrioventricular Reciprocating Tachycardia: Diagnostic Pitfall of Distal His Bundle Premature Depolarizations	92
	Speaker : Shogo Hamaura (Hirosaki University Graduate School of Medicine, Japan)	
P126	Peak Frequency Map guided ablation in atrioventricular nodal reentrant tachycardia with persistent left superior vena cava: A Case Report	93
	Speaker : Wataru Shinkai (Kitasato University School of Medicine)	
P127	Spatial relationship between the pivot point, conduction system, and success sites in cryoablation for AVNRT: A high-density mapping study	93
	Speaker : Tomomi Matsuura (Department of Cardiovascular Medicine, Tokushima University, Tokushima, Japan)	

P128	Sinus Rhythm Late Annotation Mapping as a Guide to Slow Pathway Ablation in Atrioventricular Nodal Reentrant Tachycardia	94
	Speaker : Yuko Matsui (Tokyo Women's Medical University, Japan)	
P129	Intranodal atrioventricular nodal reentrant tachycardia masquerading as junctional tachycardia	95
	Speaker : Tomomasa Takamiya (Saitama Prefectural Cardiovascular and Respiratory Center, Japan)	
P130	Orthodromic atrioventricular reentrant tachycardia due to a long oblique left-sided accessory pathway with a retrograde nodal slow pathway: A challenging ablation case	95
	Speaker : Yuka Oda (Tokyo Heart Rhythm Hospital, Japan/University of Tsukuba, Japan)	
P131	Fast-Slow Atrioventricular Nodal Reentrant Tachycardia with Cycle Length Alternans and an Earliest Atrial Activation Site Near the Proximal Middle Cardiac Vein	96
	Speaker : Eriko Yokoyama (Okamura Memorial Hospital, Japan)	
P132	Atrial Propagation Analysis During Slow-Fast AVNRT Enabled by 2:1 His-Ventricular Block, and Functional-Anatomical Characterization of the Right Inferior Extension Using Contemporary 3D Mapping	96
	Speaker : Yusuke Sakamoto (Tosei General Hospital, Japan)	
P133	Peak Frequency-Guided Slow Pathway Ablation for Slow-Fast AVNRT With a Small Koch's Triangle and Narrow Tricuspid Annulus	97
	Speaker : Kyohhei Matsuyama (Department of Cardiology, Tokyo Metropolitan Hiroo Hospital, Japan)	
P134	Antegrade Slow Pathway Unmasked by Atrial Extrastimulation After Simultaneous Atrioventricular Pacing: Two Cases	97
	Speaker : Taiki Ishizawa (Tsuchiura Kyodo General Hospital, Japan)	

Poster Session

Unique Case 10:10-10:40

P135	Ictal Asystole Suspected from Holter Electrocardiographic Findings: A Case Report	98
	Speaker : Kazuhiro Naito (Aichi Medical University, Japan)	
P136	A Case of Barlow Syndrome with Severe Mitral Regurgitation complicated with Ventricular Fibrillation	99
	Speaker : Shun Yamanaka (Keio University School of Medicine, Japan)	
P137	Steerable sheath-guided space-filling strategy for post-surgical residual left atrial appendage pouch with a narrow neck in direct oral anticoagulant-refractory stroke	99
	Speaker : Yuki Shibuya (OIM Osaka Keisatsu Hospital, Japan)	
P138	Exercise-Induced Cardioinhibitory Reflex Syncope with Ischemia in Elderly Patient	100
	Speaker : Bonpei Takase (National Defense Medical College, Japan)	

Poster Session

Case Device 10:10-10:40

P139	Triple-Site Left Bundle Branch Area Pacing-Optimized CRT in Atrial Fibrillation with Slow Ventricular Response and Conduction Delay: A Case Report	101
	Speaker : Takeru Yamada (Seirei Mikatahara Hospital, Japan)	
P140	A Left-Sided Cardiac Resynchronization Therapy Case Through Persistent Left Superior Vena Cava with Focus on Lead Stability	102
	Speaker : Dooyoung Han (Asan Medical Center in Seoul)	

Poster Session

LBB Case 10:10-10:40

P141	Left Bundle Branch Area Pacing-Optimized Cardiac Resynchronization Therapy in a Complex Case: Programming Challenges and a Call for Flexible Pacing Options	103
	Speaker : Dooyoung Han (Asan Medical Center in Seoul)	

P142	Distinct QRS Morphologies with Adjustments of the Atrioventricular Delay and Pacing Output During Left Bundle Branch Area Pacing	104
	Speaker : Issei Fujita (Sendai City Hospital, Japan)	
P143	A case of early postoperative capture loss and inability to reposition the lead after left bundle branch area pacing	104
	Speaker : Hironori Sato (Japan Community Health Care Organization Tokyo Shinjuku Medical Center, Japan)	
P144	Responder to Total Physiological Pacing of Bachmann's Bundle Pacing and Cardiac Resynchronization Therapy for Pacing-induced Cardiomyopathy	105
	Speaker : Koji Sudo (University of Yamanashi, Japan)	
P145	Severe Reduction in Effective Pacing Rate Without QRS Morphologic Changes Despite Left Ventricular Latency: A Case Report	105
	Speaker : Yuki Kodama (National Hospital Organization Iwakuni Clinical Center, Japan)	

Poster Session

ILR/CSP

15:10-15:40

P146	Time to Diagnosis and Device Implantation According to Arrhythmia Type Detected After Implantable Loop Recorder Implantation for Syncope	106
	Speaker : Kazushige Ito (Mitsui Memorial Hospital, Japan)	
P147	High Efficacy of Reactive Antitachycardia Pacing Facilitated by Bachmann's Bundle Pacing Following Maze Surgery in a Patient with Sick Sinus Syndrome	107
	Speaker : Shunji Murase (Nagoya City University East Medical Center, Japan)	
P148	Dynamic Changes in Right Ventricular Activation During LBBAP: Double Transition Observed With Unipolar Ring Pacing	107
	Speaker : Ryosuke Yabuzaki (Seirei Mikatahara General Hospital, Japan)	

Poster Session

Leadless Pacemaker

15:10-15:40

P149	Successful Micra AV Leadless Pacemaker Implantation via the Ipsilateral Internal Jugular Vein Using Sequential Dilation in the Presence of Severe Catheter-Related Venous Stenosis	108
	Speaker : Tomohiro Sato (Nara Medical University Hospital, Japan)	
P150	Initial clinical experience with the Aveir leadless pacemaker at a single center	109
	Speaker : Toshihiko Goto (Nagoya City University Hospital, Japan)	
P151	Deep Sedation as the Primary Risk Factor for Anesthesia-Related Complications in Patients Aged 85 Years and Older Undergoing Leadless Pacemaker Implantation	109
	Speaker : Taiji Okada (Cardiovascular Medicine, Nippon Medical School Chiba Hokusoh Hospital, Japan)	

Poster Session

LB エリアペーシング (Case 以外)

15:10-15:40

P152	Investigating the relationship between left bundle branch pacing and mechanical dyssynchrony	110
	Speaker : Tsukasa Naganuma (Saitama Medical University International Medical Center, Japan)	
P153	Results of attempting at left bundle branch area pacing	111
	Speaker : Toshifumi Nakagomi (TOYOTA KOSEI HOSPITAL, Japan)	
P154	Assessment of Autonomic Modulation After Left Bundle Branch Area Pacing Using 5-Day Holter Monitoring	111
	Speaker : Shimpei Kuno (Aichi Medical University, Japan)	
P155	Assessment of left ventricular systolic function in patients with high-burden right ventricular apical pacing in a device clinic	112
	Speaker : Kei Mizukoshi (St. Marianna University School of Medicine Yokohama City Seibu Hospital, Japan)	

P156	QRS narrowing and right ventricular functional recovery by left bundle branch area pacing in patients with repaired tetralogy of Fallot	112
	Speaker : Yasumasa Nohno (The University of Tokyo Hospital, Japan)	

Poster Session

Leadless Pacemaker Case	15:10-15:40
-------------------------------	-------------

P157	Severe Venous Tortuosity as a Limiting Factor for Helix-Fixation Leadless Pacemaker Implantation in Elderly Patients	113
	Speaker : Saori Chino (Showa Medical University Fujigaoka Hospital, Japan)	
P158	Right Internal Jugular Vein Access for Micra Leadless Pacemaker Implantation in a High-Risk Patient with Severe IVC Stenosis: A Case Report	114
	Speaker : Naoya Kikkoji (Japanese Red Cross Musashino Hospital, Japan)	
P159	Transjugular Versus Transfemoral Micra Leadless Pacemaker Implantation: Safety and Procedural Efficiency	114
	Speaker : Yu Nomoto (Toyama University Hospital, Japan)	
P160	Successful implantation of a leadless pacemaker (LPM) using a snare technique in a patient with a giant right atrium after tricuspid annuloplasty (TAP)	115
	Speaker : Ryosuke Kozu (Asama Nanroku Komoro Medical Center, JAPAN)	
P161	Successful application of snare technique from the opposite femoral vein to implant leadless pacemaker in a case of challenging right heart anatomy	115
	Speaker : Daiki Yoshifuku (Kochi Health Sciences Center, Japan)	
P162	Tether Entrapment and Fracture Preventing Release and Redocking of a Helix-Fixation Atrial Leadless Pacemaker: Successful Resolution With a Protective Sleeve-Assisted Bailout Maneuver	116
	Speaker : Rimpei Ueno (Showa Medical University School of Medicine, Japan)	
P163	Multiple Right Ventricular Pseudoaneurysms Following Helix-fixation Leadless Pacemaker Implantation	116
	Speaker : Kosuke Hirose (National Cerebral and Cardiovascular Center, Japan)	
P164	Heart Failure-related Cardiac Dilatation Increases Inter-device Distance in an AVEIR DR System, Causing i2i Communication Failure and Atrioventricular Dyssynchrony: A case report	117
	Speaker : Haruka Miyazaki (Division of Cardiovascular Medicine, Department of Internal Medicine, Showa Medical University, Japan)	
P165	Natural course of transient rate dependent change in pacing threshold following atrial leadless pacemaker implantation	117
	Speaker : Yuki Ishidoya (Hokkaido Cardiovascular Hospital, Japan)	
P166	Effective Device Reprogramming for Chest Discomfort Due to Atrioventricular Dyssynchrony During VVI Pacing via Micra AV in a Patient with AV Block	118
	Speaker : Yoshikazu Suzuki (Showa Medical University Fujigaoka Hospital, Japan)	
P167	Implantation Impedance Predicts Battery Longevity Reduction in High Pacing-Dependent Patients Undergoing Micra TPS Implantation	118
	Speaker : Kosuke Yoshikawa (Division of Cardiology, Department of Medicine, Showa Medical University School of Medicine, Japan)	
P168	An Early Re-implantation Using a Dual-Chamber Leadless Pacemaker for Device-Related Infective Endocarditis: Case Report	119
	Speaker : Shiori Ito (Nara Medical University, Japan)	
P169	Atrial Leadless Pacing for Junctional Rhythm-Induced Chronotropic Incompetence Prevented Mechanical Circulatory Support Escalation in Hemodynamically Unstable Acute Myocardial Infarction	119
	Speaker : Yousuke Kai (Showa Medical University, Japan)	
P170	Two Cases of Constrictive Pericarditis After Pacemaker Implantation	120
	Speaker : Masataka Narita (Saitama Medical University International Medical Center, Japan)	

Poster Session

Case PVC	15:10-15:40
----------------	-------------

P171	Abrupt Pacemap Morphology Transition and Discordance Between the Best Pace Match and Successful Ablation Site in Premature Ventricular Complexes Originating from the Aortic Cusps	121
	Speaker : Sayumi Nozaki (NHO Disaster Medical Center, Japan)	
P172	A Case of Successful Coronary Venous Ethanol Ablation for Premature Ventricular Contractions from Left Ventricular Basal Summit, Suggesting the Importance of Target Vein Selection	122
	Speaker : Takeshi Mori (Nagoya Tokushukai General Hospital Division of Cardiology, Japan)	
P173	Which is More Important, the Local Electrogram or Pace Mapping of Ventricular Premature Contractions Originating from the RCC/LCC Interleaflet?	122
	Speaker : Riko Murakami (Tsuchiura General Hospital, Japan)	
P174	Usefulness of electroanatomical mapping based on regular and extra stimulation for ventricular ablation strategy in patients with nonischemic cardiomyopathy	123
	Speaker : Makoto Nakano (Tohoku University, Japan)	
P175	Precise Localization of Premature Ventricular Contractions Originating from the Tip of the Posterior Papillary Muscle by Integrating High-Density Mapping with Multi-Electrode Catheter and Intracardiac Echocardiography	123
	Speaker : Yuta Nagamori (Kanazawa University Hospital, Japan)	
P176	Right Subclavian Venous Approach as a Practical Alternative Strategy for Right Ventricular Outflow Tract Premature Ventricular Contractions Ablation in Inferior Vena Cava Compression.	124
	Speaker : Yomei Sakurai (Nagoya City University Hospital, Japan)	

Poster Session

Case Ablation

15:10-15:40

P177	A case of moderator band-related ventricular tachycardia in which the earliest activation site did not correspond to the successful ablation site	125
	Speaker : Yuta Taomoto (Ome Medical Center, Japan)	
P178	Strategic Septal Targeting for Ventricular Lead Implantation in Persistent Left Superior Vena Cava	126
	Speaker : Fuminori Odagiri (Juntendo University Urayasu Hospital, Japan)	
P179	A Doubly Disguised Masquerader: A Diagnostic Pitfall in Progressive Conduction Disturbance and Regional Wall Motion Abnormality.	126
	Speaker : Shunichi Asano (Yokohama Rosai Hospital, Japan)	
P180	Delayed Femoral Vein Occlusion and Pulmonary Embolism Following VASCADE MVP® Use After Catheter Ablation	127
	Speaker : Rintaro Nishihira (Mitsui Memorial Hospital, Japan)	
P181	Acute pericarditis after pulsed field ablation for persistent atrial fibrillation	127
	Speaker : Takuya Koizumi (Caress Memorial Hospital, Japan)	
P182	A case of Sheath Fracture Before Removal Resulting in intravascular Retention.	128
	Speaker : Yasushi Arakaki (Naha City Hospital, Japan)	
P183	A case in which BOX isolation was useful for identifying the circuit of atrial tachycardia	128
	Speaker : Yasuhiro Shimotori (Suwa Red Cross Hospital, Japan)	
P184	Catheter ablation of the ventricular tachycardia originating from the anterior papillary muscle using CARTOSOUND FAM in a patient with prior MitraClip implantation: a case report.	129
	Speaker : Taiki Kotajima (Keio University Hospital, Japan)	
P185	Hemodynamic-guided medical therapy with pulsed field ablation in tachycardia-induced cardiomyopathy	129
	Speaker : Shunichi Doi (St. Marianna University School of Medicine Yokohama City Seibu Hospital, Japan)	

Poster Session

Case PAC 関連

15:10-15:40

P186	A Case of Spontaneous Atrial Fibrillation Confined Inside the Superior Vena Cava	130
	Speaker : Aoba Izumi (Tokyo Metropolitan Hiroo Hospital)	

P187	Successful Catheter Ablation of High-Burden PACs from a Giant Right Atrial Appendage Resulting in Reverse Remodeling of the Right Atrial Appendage	131
	Speaker : Jumpei Aoki (Toho University Faculty of Medicine, Japan)	
P188	Catheter Ablation of Atrial Premature Contractions Originating from the Tricuspid Annulus: A Case Report	131
	Speaker : Yoshiaki Inoue (Matsue Red Cross Hospital, Department of Cardiology, Japan)	
P189	Impact of reproducible non-pulmonary vein foci ablation in recurrent atrial fibrillation patients with durable pulmonary vein antrum isolation	132
	Speaker : Kazuki Mitarai (Oita Oka Hospital, Japan)	
P190	Dual Arrhythmogenic Mechanisms Within the Left Atrial Appendage Identified in a Single Procedure	132
	Speaker : Haruwo Tashiro (Higashiyamato Hospital, Japan)	

Poster Session

Case Marshall 15:10-15:40

P191	Pulsed field ablation for Marshall-dependent atrial tachycardia guided by complex signal identification	133
	Speaker : Shunsuke Ishida (Department of Cardiovascular Medicine, Hiroshima University Graduate School of Biomedical and Health Sciences, Japan)	
P192	Pulmonary Vein Isolation Achieved by Ethanol Infusion into the Vein of Marshall Despite Remaining Epicardial Connection After Pulsed Field Ablation: A Case Report	134
	Speaker : Kazuyuki Yamanaka (Komaki City Hospital, Japan)	
P193	Breaking the Carina: Hybrid Endocardial-Epicardial RF at the Vein of Marshall Region Terminates Figure-of-Eight Flutter and Stabilises Refractory AF	134
	Speaker : Akenarong Pipatputthapong (Naresuan University Hospital, Phitsanulok, Thailand)	
P194	Focal Vein of Marshall-Related Trigger Maintaining Longstanding Atrial Fibrillation: Hybrid Endocardial-Epicardial Elimination	135
	Speaker : Akenarong Pipatputthapong (Naresuan University Hospital, Phitsanulok, Thailand)	
P195	Successful Elimination of Non-Pulmonary Vein Foci by Pulsed-Field Ablation in a Patient With Persistent Atrial Fibrillation.	135
	Speaker : Shin Hasegawa (Gifu Heart Center, Japan)	
P196	A Case of Three-Dimensional Mapping in a Patient with Difficult-to-Form Mitral Annular Block	136
	Speaker : Sou Takenaka (IMS Katsushika Heart Center, JAPAN)	

7月25日 (土)

第3日目

Poster Session Area | 国立京都国際会館 1F イベントホール

Poster Session

Case Tips

9:20-9:50

- P197 A case report of pacing-induced cardiomyopathy with left subclavian vein occlusion treated with angioplasty and CRT upgrading 137
Speaker : Hiroshi Kojima (St. Mary's Hospital, Japan)
- P198 Ipsilateral Breast Cancer After CRT-D Implantation in a Patient with Prior Contralateral Breast Cancer 138
Speaker : Ryosuke Saito (Nippon Medical School Hospital, Japan)
- P199 A case of contralateral conduction system pacing with subcutaneous tunneling for CRT-D revision in a patient with ipsilateral venous occlusion 138
Speaker : Yuki Imanishi (Department of Cardiology, Juntendo University Urayasu Hospital)
- P200 Optimal Strategy for Lead Re-implantation After Extraction: Sheath Exchange vs. New Venous Access 139
Speaker : Miho Negishi (Institute of Science Tokyo, Japan)
- P201 Tailored Anti-tachycardia Pacing to Reduce ICD Shocks in an Elderly Patient with Arrhythmogenic Right Ventricular Cardiomyopathy 139
Speaker : Kanade Yoshii (Asa Citizen Hospital, Japan)
- P202 Right Ventricular Fusion Pacing Improves Delayed RV Activation Without Compromising Left Ventricular Function in Repaired Tetralogy of Fallot With Complete Right Bundle Branch Block 140
Speaker : Yutaro Okidono (University of Tsukuba Hospital, Japan)
- P203 Spiral Deployment within Inferior Pulmonary Veins Facilitates Stable Tissue Contact; A Novel Technique Using the VARIPULSE Catheter 140
Speaker : Haruna Tabuchi (Juntendo University Nerima Hospital, Japan)
- P204 Predictive Value of Transesophageal Echocardiography-Derived Left Atrial Appendage Emptying Velocity for Recurrence After Low-Voltage Area Ablation in Persistent AF :A sub-analysis of the SUPPRESS-AF Trial 141
Speaker : Tetsuya Watanabe (Yao Municipal Hospital, Japan)
- P205 The effect of vagal response during pulsed field ablation on postprocedural changes in heart rate. 141
Speaker : Hirotaka Yano (Yokosuka Kyosai Hospital, Japan)
- P206 Myocardial Biomarker Release After Pulsed Field Ablation for Atrial Fibrillation Does Not Correlate With Procedural Lesion Burden 142
Speaker : Masaya Shinohara (Division of Cardiovascular Medicine, Department of Internal Medicine, Toho University Faculty of Medicine, Japan)
- P207 utility of FARAWAVE 35mm 142
Speaker : Yukoh Hirai (Kure Kyosai Hospital, Japan)
- P208 Qualitative evaluation of tissue proximity indication during pulsed field ablation for atrial fibrillation 143
Speaker : Makoto Sano (Hamamatsu University School of Medicine, Japan)
- P209 Characteristics of Pulmonary Vein Reconnection Sites Among Three Pulsed-Field Ablation Systems: Findings From Repeat Procedures 143
Speaker : Yui Kitami (National Cerebral and Cardiovascular Center, Japan)
- P210 Characteristics of the Contact-Index as a Novel Impedance-Guided Indicator for Pulmonary Vein Isolation 144
Speaker : Junichi Doi (National Disaster Medical Center, Japan)

Poster Session

Gene、SCN5A

9:20-9:50

P211	Clinical phenotype of Brugada syndrome associated with a heterozygous whole-gene deletion of SCN5A	145
	Speaker : Kota Nagaoka (Saitama Medical University International Medical Center, Japan)	
P212	Concealed Brugada Syndrome Unmasked by Pilsicainide in a Survivor of Ventricular Fibrillation Carrying a Novel Truncating SCN5A Variant	146
	Speaker : Yu Ishihara (Kagawa University)	
P213	Complete SCN5A Deletion in an Adolescent Patient with Progressive Cardiac Conduction Disturbance: When and Which Device Should Be Implanted?	146
	Speaker : Ryo Nawata (National Cerebral and Cardiovascular Center, Japan)	

Poster Session

Basic Science

9:20-9:50

P214	Temperature Profiles During Pulsed Electric Field and Radiofrequency Ablation: A Preclinical Experimental Study	147
	Speaker : Takafumi Koyama (Shounan Atsugi Hospital, Japan)	
P215	The presentation has been withdrawn.	148
P216	Re-evaluating Brugada Syndrome Risk Loci in a Taiwanese / East Asian Population	148
	Speaker : Tzu-Pin Lu (Institute of Health Data Analytics and Statistics, National Taiwan University, Taiwan)	
P217	Single-Cell and Spatial Transcriptomic Analysis Identifies Complement-Mediated Immune cell-Fibroblast Interactions in Atrial Fibrillation	149
	Speaker : Mitsuhiro Shoda (Division of Cardiovascular Medicine, Department of Internal Medicine, Kobe University Graduate School of Medicine, Kobe, Japan)	

Poster Session

Pharmacological Therapy

9:20-9:50

P218	The Impact of Oral Colchicine on Outcomes of Radiofrequency Catheter Ablation for Atrial Fibrillation	150
	Speaker : Noriko Nonoguchi (Kyorin University, Japan)	
P219	Association between steroid therapy for cardiac sarcoidosis and ventricular arrhythmia events.	151
	Speaker : Minoru Tagawa (Nagaoka Chuo General Hospital, Japan)	
P220	Clinical Characteristics and Predictors of Hepatic Dysfunction During Oral Amiodarone Therapy in Patients with Atrial Arrhythmias	151
	Speaker : Makoto Kobayashi (Nippon Medical School Hospital, Japan)	
P221	Unexpected Marked APTT Prolongation in Patients with Atrial Fibrillation During Direct Oral Anticoagulant Therapy.	152
	Speaker : Kensuke Fukui (Nagasaki University Hospital, Japan)	

Poster Session

AF recurrence

9:20-9:50

P222	Association of HFA-PEFF Score and Left Atrial Volume Index With Recurrence After Pulmonary Vein Isolation	153
	Speaker : Yuta Tsurusaki (Kumamoto University Hospital, Japan)	
P223	Consecutive Premature Atrial Contraction Runs After Electrical Cardioversion Predict Atrial Fibrillation Recurrence Following Catheter Ablation	154
	Speaker : Shinichi Harada (Mie University, Japan)	
P224	Evaluation of Atrial Fibrillation Recurrence After Ablation Based on Differences in Monitoring Methods	154
	Speaker : Ryoto Kawamata (Tokyo General Hospital, Japan)	

P225	The impact of changes in left atrial dimension and diastolic function before and after atrial fibrillation ablation on clinical outcomes	155
	Speaker : Naoki Suda (Jichi Medical University School of Medicine (JMU), Japan)	
P226	Improvement in Renal Function After Cryoballoon Ablation in Atrial Fibrillation Patients With Chronic Kidney Disease	155
	Speaker : Shintaro Yao (Division of Cardiovascular Medicine, Department of Internal Medicine, Toho University Faculty of Medicine, Japan)	
P227	Comparison of the early recurrence rates between Pulsed Field Ablation and Radiofrequency Ablation for Paroxysmal Atrial Fibrillation	156
	Speaker : Shin Meguro (Japanese Red Cross Saitama Hospital, Japan)	
P228	Regional Predilection of Incomplete Isolation with Pulsed Field Ablation in Patients with Atrial Fibrillation	156
	Speaker : Hirotsugu Ikewaki (Kyorin University, JAPAN)	
P229	One Year Outcomes After Pulsed Field Ablation for Paroxysmal and Persistent Atrial Fibrillation Using Three Catheter Systems Available in Japan	157
	Speaker : Junichi Ooka (Kobe City Medical Center General Hospital, Japan)	
P230	Characteristics of Early Recurrence Following Pulsed Field Ablation	157
	Speaker : Akira Sato (Chiba Nishi General Hospital, Japan)	
P231	Time Course of Left Atrial Functional Recovery After Radiofrequency Ablation in Persistent Atrial Fibrillation: Implications for RFA in the PFA Era	158
	Speaker : Taiki Kitahara (Chunichi Hospital, Japan)	
P232	Efficacy of posterior wall isolation with a pentaspline PFA catheter for atrial fibrillation recurrence cases	158
	Speaker : Takeru Taki (Hamamatsu Red Cross Hospital, Japan)	
P233	A Study Using Short-Term Outcomes of Pulsed-Field Ablation(PFA) with Loop Catheters in Our Hospital	159
	Speaker : Takayuki Goto (Toyota Memorial Hospital, Japan)	
P234	Predictors of Atrial Fibrillation Recurrence after Catheter Ablation: Clinical, Echocardiographic, and Electrophysiological Insights	159
	Speaker : Kazuki Tezuka (Tokushima University Hospital, Japan)	

Poster Session

Persistent AF

9:20-9:50

P235	Pulsed Field Ablation Using Varipulse for Long-Standing Persistent Atrial Fibrillation	160
	Speaker : Toshio Makita (Tokyo Heart Rhythm Clinic, Japan)	
P236	Impact of N-terminal Pro-B-type Natriuretic Peptide Reduction on Recurrence After Pulsed-Field Ablation in Persistent Atrial Fibrillation	161
	Speaker : Ryohei Nomura (University of Fukui Hospital, Japan)	
P237	Determinants of Superior Vena Cava Isolation After Pulsed-Field Ablation of the Right Pulmonary Veins	161
	Speaker : Yumi Munetsugu (Ogikubo Hospital, Japan)	
P238	The Effect of Sinus Rhythm Maintenance on Cardiac Remodeling after Catheter Ablation in Persistent Atrial Fibrillation	162
	Speaker : Yuta Suto (Mito Kyodo General Hospital, Japan)	
P239	Transient Superior Vena Cava Low-Voltage Areas With Preserved Sinus Node Location After Pulsed-Field Pulmonary Vein Isolation	162
	Speaker : Moyuru Hirata (Nihon University Hospital, Japan)	
P240	Initial Clinical Experience with Pulsed Field Ablation for Persistent Atrial Fibrillation	163
	Speaker : Takamitsu Takagi (Japanese Red Cross Saitama Hospital, Japan)	

Poster Session

EV-ICD、S-ICD

11:00-11:30

P241	Extravascular implantable cardioverter-defibrillator implantation strategies following another infected device extraction	164
	Speaker : Satoshi Ono (National Cerebral and Cardiovascular Center, Japan)	
P242	A case of reversible posterior tilt in extravascular implantable cardioverter-defibrillator leads	165
	Speaker : Shonosuke Watanabe (Tokyo Women's Medical University, JAPAN)	
P243	Extravascular ICD as an Effective Alternative to S-ICD in a Case of Refractory Myopotential Oversensing	166
	Speaker : Shinji Ishikawa (Department of Cardiology Center, Anjo Kosei Hospital, Japan)	

Poster Session

AT

11:00-11:30

P244	Epicardial Roof-Dependent Macro-reentrant Atrial Tachycardia Characterized by Pulmonary Artery Mapping	167
	Speaker : Hiroyuki Masumoto (National Hospital Tokyo Disaster Medical Center, Japan)	
P245	A Case with Four Distinct Types of Bi-atrial Tachycardia	168
	Speaker : Junichi Onuma (JCHO Tokyo Yamate Medical Center, Japan)	
P246	A Case of Iesaka atrial tachycardia Successfully Terminated by Radiofrequency Application at the 12 o'clock Position of the Tricuspid Annulus Using the Yamabe Method	168
	Speaker : Shogo Haruki (Sakakibara Memorial Hospital, Japan)	
P247	The presentation has been withdrawn.	169
P248	Rare Case of Adenosine-Sensitive Atrial Tachycardia Originated from Mitral Annulus	169
	Speaker : Yukihiro Uehara (National Cerebral and Cardiovascular Center, Japan)	
P249	Efficacy of FAAM-guided ablation for atrial tachycardia where activation mapping is not feasible due to its non-sustained nature	170
	Speaker : Tetsuya Kishigami (Ome Medical Center, Japan)	
P250	Figure-of-Eight Macroreentrant Atrial Tachycardia after Repair of Cor Triatriatum Sinister (Lucas-Schmidt Type IB1)	170
	Speaker : Marie Takahashi (Akita University Hospital, Japan)	
P251	Abrupt transition pattern shown in atrial pace mapping using automatic intracardiac pattern matching for ablation of non-sustained atrial tachycardia	171
	Speaker : Yuki Ishidoya (Hokkaido Cardiovascular Hospital, Japan)	
P252	Thyroid Whispers Heartbeats Roar The Poetic Pulse of Hashimotos SVT	171
	Speaker : Limuel Joseph V Bacani (The Medical City Clark)	
P253	HIDDEN IN THE ISTHMUS: CAVOTRICUSPID POUCH COMPLICATING FLUTTER ABLATION UNMASKS INFRA-HISIAN DISEASE	172
	Speaker : Jin Kiang Cheng (National Heart Center Singapore)	
P254	A case of successful termination of two figure of eight ATs with septoatrial bundle circuits	172
	Speaker : Keiji Yamaoka (Munakata Suikokai General Hospital, Japan)	

Poster Session

PFA、CIED

11:00-11:30

P255	Safety and feasibility of pulsed field ablation with a pentaspline catheter in patients with extravascular ICD	173
	Speaker : Koumei Onuki (Kokura Memorial Hospital, Japan)	
P256	Pulsed field ablation in patients with cardiac implantable electronic devices, including cases of extra-pulmonary vein ablation	174
	Speaker : Yi Yi Chua (National Heart Centre Singapore)	
P257	A case of lead threshold elevation solely caused by pulmonary vein isolation using pulsed field ablation	175
	Speaker : Hiroki Yano (Nara City Hospital, Japan)	

P258	Transient Atrial Pacing Failure during Pulsed Field Ablation in a Patient with Cardiac Implantable Electronic Device	175
	Speaker : Yuri Oryoji (Shonan Kamakura General Hospital, Japan)	

Poster Session

PFA 効果

11:00-11:30

P259	The Effectiveness of One-Night, Two-Day Short-Stay Catheter Ablation Hospitalization	176
	Speaker : Keita Masuda (St.Luke's International Hospital, Japan)	
P260	Comparison between laser balloon ablation and pulsed-field ablation for persistent atrial fibrillation	177
	Speaker : Masatoshi Narikawa (Saiseikai Yokohamashi Nanbu Hospital, Japan)	
P261	Differences in the Electrophysiological Parameters between Pulse Field Ablation and Radiofrequency Ablation in Atrial fibrillation catheter ablation	177
	Speaker : Naoharu Yagi (The Cardiovascular Institute, Japan)	
P262	Comparison of the Safety and Efficacy of Pulsed Field Ablation and Thermal Energy Ablation for Atrial Fibrillation in Patients Aged 80 Years or Older	178
	Speaker : Yuhei Isonaga (Toranomon Hospital, Japan/Japanese Red Cross Saitama Hospital)	
P263	Discrepancies Between Tagged Sites and Actual Lesions in Pulmonary Vein Isolation With Pulsed Field Ablation	178
	Speaker : Shuntaro Tamura (Gunma University, Japan)	
P264	Impact of Real-Time TPI-Guided Workflow on Preserving the Left Atrial Posterior Wall During Pulsed Field Ablation	179
	Speaker : Yuji Saito (Nihon University School of Medicine, Japan)	
P265	Integration of Three-Dimensional Artificial Intelligence Algorithms with Intracardiac Echocardiography-Guided Pulmonary Vein Isolation Using Variable-Loop Pulsed-Field Ablation for Paroxysmal AF	179
	Speaker : Kazuma Iimura (Tokai University School of Medicine, Japan)	
P266	Exploratory assessment of field-tag-based catheter-tissue contact and acute lesion surrogates during pulsed field ablation	180
	Speaker : Shu Hirata (Division of Cardiology, Department of Medicine, Nihon University School of Medicine, Japan)	
P267	Clinical safety evaluation of pulsed field ablation in patients on dialysis: Strategies for fluid adjustment and blood test monitoring	180
	Speaker : Moe Mukai (University of Fukui Hospital, Japan)	
P268	Safety of pulsed field ablation in hemodialysis patients	181
	Speaker : Satoshi Kudo (Kansai Rosai Hospital, Japan)	
P269	Clinical Outcomes of Pulsed Field Ablation for Atrial Fibrillation in Patients Aged 85 Years or Order	181
	Speaker : Tatsuto Kawaguchi (Shonan Kamakura General Hospital, Japan)	
P270	Autopsy Findings after Left Atrial Posterior Wall Isolation and Pulmonary Vein Isolation Using Pulsed Field Ablation Combined with Radiofrequency Ablation for Purkinje De-networking in Ventricular	182
	Speaker : Keitaro Iida (Dokkyo Medical University, Japan)	
P271	Clinical Determinants of PR-segment Depression After Pulmonary Vein Isolation with Pulsed Field Ablation	182
	Speaker : Chisa Asahina (Faculty of Medicine, University of Yamanashi, Japan)	
P272	The experience of Pulsed-Field ablation for atrial fibrillation using Pentaspline catheter: Okamura's early phase experience.	183
	Speaker : Yuuki Nakanishi (Okamura Memorial Hospital, Japan)	
P273	Study on the Usefulness of Intracardiac Echocardiography-Guided Pulsed Field Ablation	183
	Speaker : Kenta Aonuma (Yamanashi Prefectural Central Hospital, Japan)	
P274	Real-World Use of Adjunctive Radiofrequency Ablation Following Pulsed Field Ablation for Atrial Fibrillation	184
	Speaker : Masaki Tokutome (Japanese Red Cross Fukuoka Hospital, Japan)	

Poster Session

PFA Unusually cases

11:00-11:30

- P275 Successful Pulsed Field Ablation for Persistent Atrial Fibrillation in a Patient with Dextrocardia and Situs Inversus by Mirror Image Approach and Intracardiac Echocardiography 185
Speaker : Masayasu Izuhara (Kishiwada City Hospital, Japan)
- P276 Catheter Ablation of Macroreentrant Ventricular Tachycardia 60 Years After Surgical Repair of Tetralogy of Fallot 186
Speaker : Hisafumi Nomura (Soseikai General Hospital, Japan)
- P277 A case of catheter ablation for the paroxysmal atrial fibrillation of the unrepaired partial anomalous pulmonary venous return 186
Speaker : Takahiro Mito (Hakujyujii Hospital, Japan)
- P278 Pulsed-field ablation via trans-conduit puncture for atrial fibrillation in a patient with extracardiac conduit Fontan circulation 187
Speaker : Takahiko Kinjo (Tokyo Women's Medical University, Japan)
- P279 A case of successful catheter ablation for drug-refractory atrial fibrillation after surgical atrial septal defect patch closure, achieved by a modified transseptal puncture technique. 187
Speaker : Kohei Shibata (Toho University Omori Medical Center, Japan)
- P280 Assessment of Patterns of Pulmonary Vein Reconnection in Recurrent Cases After Pulsed Field Ablation 188
Speaker : Atsushi Sakata (Kurashiki Central Hospital, Japan)
- P281 Epicardial Connection as a Resource of Atrial Fibrillation Recurrence after Pulsed Field Ablation 188
Speaker : Kyong Hee Lee (Ageo Central General Hospital, Japan)
- P282 Recurrence of Atrial Fibrillation after Pulsed-Field Ablation despite Intraoperative Confirmation of Transmurality via Epicardial Mapping. 189
Speaker : Chisato Suzuki (Department of Cardiology, Tokyo Metropolitan Hiroo Hospital, Japan)
- P283 Focal Atrial Tachycardia Originating From an Unmasked FAAM After Pulmonary Vein Isolation Treated With Pulsed Field Ablation 189
Speaker : Mizuki Wada (National Center for Global Health and Medicine, Japan)
- P284 Two Cases of Reentrant Atrial Tachycardia Involving the Superior Vena Cava After Pulsed Field Ablation of the Right Superior Pulmonary Vein 190
Speaker : Yukihiro Himeno (Keio University School of Medicine, Japan)

DR/MP Poster Session

11:00-11:30

- DR/MPP1 パルスフィールドアブレーションによる肺静脈隔離術が右房, 上大静脈に与える影響についての検討 191
井上 豪 (滋賀県立総合病院)
- DR/MPP2 PulseSelectTM による肺静脈隔離後に GAP および Dormant conduction を評価した連続 34 症例の解析 192
笹島 陽香 (国家公務員共済連合組合会虎の門病院循環器内科)
- DR/MPP3 異なるパルスフィールドアブレーションシステム間での溶血反応の差異に関する検討 192
田口 智 (岩手医科大学附属病院循環器内科)
- DR/MPP4 完全内臓逆位を伴う発作性心房細動へのパルスフィールドアブレーションにおいて、両肺静脈拡大隔離術施行時に心腔内エコーの使用が有用であった 1 例. 193
島 佑輔 (西宮渡辺心臓脳血管センター不整脈科)
- DR/MPP5 洞調律下にアブレーションを行った心房頻拍の二例 193
入江 友梨 (一般財団法人太田総合病院附属太田西ノ内病院循環器内科)
- DR/MPP6 Cardio-EGG(カルディオ・エッグ)を用いた AF 検出 AI の精度評価と予測確率の解析 194
小川 晋平 (AMI 株式会社)
- DR/MPP7 てんかんと鑑別に苦慮した先天性 QT 延長症候群の一例 194
有田 速人 (耳原総合病院循環器内科)
- DR/MPP8 抗精神病薬長期内服中に薬剤性 QT 延長症候群により心室細動を呈した一例 195
南里 直実 (耳原総合病院循環器内科)

DR/MPP9	ペースメーカー統合管理サービスによる心臓植込みデバイス管理業務の効率化	195
	田澤 沙樹（三井記念病院 ME サービス部）	
DR/MPP10	当院で植え込みを行なった, 電池抵抗の上昇の可能性が指摘された Boston scientific 社の ACCOLADE™ シリーズ 32 例の経過	196
	中村 瞬（虎の門病院循環器センター内科）	